ELSEVIER

Chemical Physics 225 (1997) 319–321

Chemical Physics

Author index to volume 225

Alekseyev, A.B., H.-P. Liebermann, G. Hirsch and R.J. Buenker, Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride 225 (1997) 247
Allan, M., see Bulliard, C. 225 (1997) 153

Beil, A., see Snels, M. 225 (1997) 107
Belov, S.P., see Jabs, W. 225 (1997) 77
Bonačić-Koutecký, V. and J. Pittner, Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters 225 (1997) 173
Borden, W.T., see Bulliard, C. 225 (1997) 153
Botschwina, P. and S. Schmatz, Coupled cluster calculations for three low-lying doublet states of linear C_{10}^- 225 (1997) 131
Brandi, R., F. Santoro and C. Petrongolo, Ab initio study of NO_2. VII. $\tilde{A}\,^2B_2 \leftarrow \tilde{X}\,^2A_1$ nonadiabatic Franck–Condon absorption spectrum 225 (1997) 55
Bruna, P.J., G.H. Lushington and F. Grein, Stability, properties and electronic g-tensors of H_2CO^- as stabilized in $H_2CO \cdot Na$ complexes 225 (1997) 1
Buenker, R.J., see Alekseyev, A.B. 225 (1997) 247
Bulliard, C., M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme, Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene 225 (1997) 153
Bunker, P.R., see Osmann, G. 225 (1997) 33
Burghardt, I. and P. Gaspard, Resonances in the photodissociation of CO_2: periodic-orbit and wavepacket analyses 225 (1997) 259
Buß, V., see Terstegen, F. 225 (1997) 163

De Vivie-Riedle, R., S. Schulz, J. Höhndorf and C.P. Schulz, Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis 225 (1997) 299
Döscher, M. and H. Köppel, Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}\,^2E_{1u}$ and $\tilde{E}\,^2B_{2u}$ states of $C_6H_6^+$ 225 (1997) 93

Engels, B., see Hanrath, M. 225 (1997) 197
Engels, B., see Perić, M. 225 (1997) 63

Gaspard, P., see Burghardt, I. 225 (1997) 259
Grein, F., see Bruna, P.J. 225 (1997) 1
Grimme, S., see Bulliard, C. 225 (1997) 153

Hanrath, M. and B. Engels, New algorithms for an individually selecting MR-CI program 225 (1997) 197
Hättig, C., see Stein, N. 225 (1997) 309

Havenith, M., see Wienkoop, M. 225 (1997) 17
Havenith, R.W.A., J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger, The lowest valence transitions of 1,1′-bicyclohexylidene and 1,1′;4′,1′-tercyclohexylidene. An ab initio MRDCI study 225 (1997) 139
Hess, B.A., see Stein, N. 225 (1997) 309
Hirsch, G., see Alekseyev, A.B. 225 (1997) 247
Höhndorf, J., see de Vivie-Riedle, R. 225 (1997) 299
Hollenstein, H., see Snels, M. 225 (1997) 107
Hoogesteger, F.J., see Havenith, R.W.A. 225 (1997) 139
Hrovat, D.A., see Bulliard, C. 225 (1997) 153

Ishikawa, Y., K. Koc and W.H.E. Schwarz, The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution 225 (1997) 239

Jabs, W., M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser, The $^{r}Q_{1}$ branch of carbodiimide, HNCNH, at 1.1 THz 225 (1997) 77
Jenneskens, L.W., see Havenith, R.W.A. 225 (1997) 139
Jensen, P., see Osmann, G. 225 (1997) 33

Klaus, T., see Jabs, W. 225 (1997) 77
Koc, K., see Ishikawa, Y. 225 (1997) 239
Köppel, H., see Döscher, M. 225 (1997) 93
Kraemer, W.P., see Osmann, G. 225 (1997) 33
Kutzelnigg, W., Relativistic one-electron Hamiltonians 'for electrons only' and the variational treatment of the Dirac equation 225 (1997) 203

Liebermann, H.-P., see Alekseyev, A.B. 225 (1997) 247
Lushington, G.H., see Bruna, P.J. 225 (1997) 1

Marian, C.M., see Rakowitz, F. 225 (1997) 223
Mürtz, P., see Wienkoop, M. 225 (1997) 17

Osmann, G., P.R. Bunker, P. Jensen and W.P. Kraemer, A theoretical calculation of the absorption spectrum of CH_2^+ 225 (1997) 33
Ostojić, B., see Perić, M. 225 (1997) 63

Perić, M., B. Ostojić, B. Schäfer and B. Engels, *Ab initio* treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations 225 (1997) 63
Petrongolo, C., see Brandi, R. 225 (1997) 55
Pittner, J., see Bonačić-Koutecký, V. 225 (1997) 173

Quack, M., see Snels, M. 225 (1997) 107

Rakowitz, F. and C.M. Marian, An extrapolation scheme for spin–orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride 225 (1997) 223

Santoro, F., see Brandi, R. 225 (1997) 55
Schaefer III, H.F., see Yamaguchi, Y. 225 (1997) 23
Schäfer, B., see Perić, M. 225 (1997) 63
Schmatz, S., see Botschwina, P. 225 (1997) 131
Schulz, C.P., see de Vivie-Riedle, R. 225 (1997) 299
Schulz, S., see de Vivie-Riedle, R. 225 (1997) 299
Schumann, P.-C., see Wienkoop, M. 225 (1997) 17
Schwarz, W.H.E., see Ishikawa, Y. 225 (1997) 239
Smith, J.M., see Bulliard, C. 225 (1997) 153
Snels, M., A. Beil, H. Hollenstein and M. Quack, Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C_6H_5D 225 (1997) 107
Stein, N., C. Hättig and B.A. Hess, Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO 225 (1997) 309

Terstegen, F. and V. Buß, Geometries and interconversion pathways of free and protonated β-ionone Schiff bases. An ab initio study of photoreceptor chromophore model compounds 225 (1997) 163

Urban, W., see Wienkoop, M. 225 (1997) 17

Van Lenthe, J.H., see Havenith, R.W.A. 225 (1997) 139

Whitten, J.L., Photodissociation of methane on platinum 225 (1997) 189
Wienkoop, M., P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban, First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy 225 (1997) 17
Winnewisser, G., see Jabs, W. 225 (1997) 77
Winnewisser, M., see Jabs, W. 225 (1997) 77

Yamaguchi, Y. and H.F. Schaefer III, An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method 225 (1997) 23

ELSEVIER

Chemical Physics 225 (1997) 323–329

Chemical Physics

Subject index to volume 225

Methods and constructs

Theoretical

Computational methods for electronic structure

An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23

Coupled cluster calculations for three low-lying doublet states of linear C_{10}^-, P. Botschwina and S. Schmatz 225 (1997) 131

The lowest valence transitions of 1,1′-bicyclohexylidene and 1,1′;4′,1′-tercyclohexylidene. An ab initio MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139

Geometries and interconversion pathways of free and protonated β-ionone Schiff bases. An ab initio study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163

New algorithms for an individually selecting MR-CI program, M. Hanrath and B. Engels 225 (1997) 197

An extrapolation scheme for spin–orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223

Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309

-CI and valence bond approach

Stability, properties and electronic *g*-tensors of H_2CO^- as stabilized in $H_2CO \cdot Na$ complexes, P.J. Bruna, G.H. Lushington and F. Grein 225 (1997) 1

The lowest valence transitions of 1,1′-bicyclohexylidene and 1,1′;4′,1′-tercyclohexylidene. An ab initio MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139

Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

An extrapolation scheme for spin–orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223

Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

-density functional theory

Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.$0^{3,7}$]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153

Relativistic electronic structure theory

Relativistic one-electron Hamiltonians 'for electrons only' and the variational treatment of the Dirac equation, W. Kutzelnigg 225 (1997) 203

An extrapolation scheme for spin–orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223

The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution, Y. Ishikawa, K. Koc and W.H.E. Schwarz 225 (1997) 239

Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

Wavefunctions for highly excited and unbound states

A theoretical calculation of the absorption spectrum of CH_2^+, G. Osmann, P.R. Bunker, P. Jensen and W.P. Kraemer 225 (1997) 33

Ab initio study of NO_2. VII. $\tilde{A}\,^2B_2 \leftarrow \tilde{X}\,^2A_1$ nonadiabatic Franck–Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55

Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309

Collisional and reactive molecular dynamics with non-frictional forces

Resonances in the photodissociation of CO_2: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Intramolecular dynamics

Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}\,^2E_{1u}$ and $\tilde{E}\,^2B_{2u}$ states of $C_6H_6^+$, M. Döscher and H. Köppel 225 (1997) 93

Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C_6H_5D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107

Geometries and interconversion pathways of free and protonated β-ionone Schiff bases. An ab initio study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163

Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

Experiment

Magnetic resonances

First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17

-Molecular spectroscopy

Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

-terahertz

The $^{r}Q_1$ branch of carbodiimide, HNCNH, at 1.1 THz, W. Jabs, M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser 225 (1997) 77

-infrared

First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17

Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C_6H_5D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107

-UV

Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153

Resonances in the photodissociation of CO_2: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Electron impact spectroscopy

Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.0^{3,7}]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153

Ultrafast measurements

Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

Objects

Bulk systems

Gases

First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17

Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

Surfaces
Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution, Y. Ishikawa, K. Koc and W.H.E. Schwarz 225 (1997) 239

Molecules (neutral and ionic)
New algorithms for an individually selecting MR-CI program, M. Hanrath and B. Engels 225 (1997) 197
Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309

-diatomic
First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17
An extrapolation scheme for spin–orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

-small polyatomics
An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23
A theoretical calculation of the absorption spectrum of CH_2^+, G. Osmann, P.R. Bunker, P. Jensen and W.P. Kraemer 225 (1997) 33
Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63
The $^rQ_1$ branch of carbodiimide, HNCNH, at 1.1 THz, W. Jabs, M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser 225 (1997) 77
Coupled cluster calculations for three low-lying doublet states of linear C_{10}^-, P. Botschwina and S. Schmatz 225 (1997) 131
Resonances in the photodissociation of CO_2: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

-aromatics
Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}\,^2E_{1u}$ and $\tilde{E}\,^2B_{2u}$ states of $C_6H_6^+$, M. Döscher and H. Köppel 225 (1997) 93
Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C_6H_5D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107

Molecular aggregates
Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

Free radicals (incl. hydronium and muonium)

An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23

Ab initio study of NO_2. VII. $\tilde{A}\,^2B_2 \leftarrow \tilde{X}\,^2A_1$ nonadiabatic Franck–Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55

Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}\,^2E_{1u}$ and $\tilde{E}\,^2B_{2u}$ states of $C_6H_6^+$, M. Döscher and H. Köppel 225 (1997) 93

Defects and impurities

Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

Ions and charge carriers

Stability, properties and electronic g-tensors of H_2CO^- as stabilized in $H_2CO \cdot Na$ complexes, P.J. Bruna, G.H. Lushington and F. Grein 225 (1997) 1

Phenomena

Molecular structure

An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23

Geometries and interconversion pathways of free and protonated β-ionone Schiff bases. An ab initio study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163

Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173

Vibrations and rotations of molecules

First observation of ro-vibrational transitions of the SiC radical by infrared LMR spectroscopy, M. Wienkoop, P. Mürtz, P.-C. Schumann, M. Havenith and W. Urban 225 (1997) 17

Ab initio study of NO_2. VII. $\tilde{A}\,^2B_2 \leftarrow \tilde{X}\,^2A_1$ nonadiabatic Franck–Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55

Ab initio treatment of the Renner-Teller effect in tetra-atomic molecules undergoing large amplitude bending vibrations, M. Perić, B. Ostojić, B. Schäfer and B. Engels 225 (1997) 63

Geometries and interconversion pathways of free and protonated β-ionone Schiff bases. An ab initio study of photoreceptor chromophore model compounds, F. Terstegen and V. Buß 225 (1997) 163

Surface chemical physics

-adsorption

Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

-surface excitations
Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

-surface reactions
Photodissociation of methane on platinum, J.L. Whitten 225 (1997) 189

Electronic structure and states
An *ab initio* study on the four electronically lowest-lying states of CH_2 using the state-averaged complete active space second-order configuration interaction method, Y. Yamaguchi and H.F. Schaefer III 225 (1997) 23
A theoretical calculation of the absorption spectrum of CH_2^+, G. Osmann, P.R. Bunker, P. Jensen and W.P. Kraemer 225 (1997) 33
Excited vibrational states of benzene: High resolution FTIR spectra and analysis of some out-of-plane vibrational fundamentals of C_6H_5D, M. Snels, A. Beil, H. Hollenstein and M. Quack 225 (1997) 107
Coupled cluster calculations for three low-lying doublet states of linear C_{10}^-, P. Botschwina and S. Schmatz 225 (1997) 131
The lowest valence transitions of 1,1′-bicyclohexylidene and 1,1′;4′,1′-tercyclohexylidene. An ab initio MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139
Singlet and triplet excited states of a pyramidalized alkene: Electron-energy-loss spectra, photoelectron spectra, and calculations of the excited states of tricyclo[3.3.3.$0^{3,7}$]undec-3(7)-ene, C. Bulliard, M. Allan, J.M. Smith, D.A. Hrovat, W.T. Borden and S. Grimme 225 (1997) 153
Ab-initio study of optical response properties of nonstoichiometric lithium-hydride and sodium-fluoride clusters, V. Bonačić-Koutecký and J. Pittner 225 (1997) 173
New algorithms for an individually selecting MR-CI program, M. Hanrath and B. Engels 225 (1997) 197
Relativistic one-electron Hamiltonians 'for electrons only' and the variational treatment of the Dirac equation, W. Kutzelnigg 225 (1997) 203
An extrapolation scheme for spin–orbit configuration interaction energies applied to the ground and excited electronic states of thallium hydride, F. Rakowitz and C.M. Marian 225 (1997) 223
The use of Gaussian spinors in relativistic electronic structure calculations: the effect of the boundary of the finite nucleus of uniform proton charge distribution, Y. Ishikawa, K. Koc and W.H.E. Schwarz 225 (1997) 239
Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

Electric and magnetic properties
Stability, properties and electronic g-tensors of H_2CO^- as stabilized in $H_2CO \cdot Na$ complexes, P.J. Bruna, G.H. Lushington and F. Grein 225 (1997) 1

Spin splittings
Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

Optical activity
The lowest valence transitions of 1,1′-bicyclohexylidene and 1,1′;4′,1′-tercyclohexylidene. An ab initio MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139

Spectral bandshapes and intensities

The $^{r}Q_1$ branch of carbodiimide, HNCNH, at 1.1 THz, W. Jabs, M. Winnewisser, S.P. Belov, T. Klaus and G. Winnewisser 225 (1997) 77

The lowest valence transitions of 1,1′-bicyclohexylidene and 1,1′;4′,1′-tercyclohexylidene. An ab initio MRDCI study, R.W.A. Havenith, J.H. van Lenthe, L.W. Jenneskens and F.J. Hoogesteger 225 (1997) 139

Relativistic configuration interaction calculations of the potential curves and radiative lifetimes of the low-lying states of bismuth nitride, A.B. Alekseyev, H.-P. Liebermann, G. Hirsch and R.J. Buenker 225 (1997) 247

Coupling of electronic and nuclear motion

Ab initio study of NO_2. VII. $\tilde{A}\,^2B_2 \leftarrow \tilde{X}\,^2A_1$ nonadiabatic Franck–Condon absorption spectrum, R. Brandi, F. Santoro and C. Petrongolo 225 (1997) 55

Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}\,^2E_{1u}$ and $\tilde{E}\,^2B_{2u}$ states of $C_6H_6^+$, M. Döscher and H. Köppel 225 (1997) 93

Molecular photophysical processes

Resonances in the photodissociation of CO_2: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Intramolecular dynamics

Ultrafast excitation process in $NaNH_3$: a combined theoretical and experimental analysis, R. de Vivie-Riedle, S. Schulz, J. Höhndorf and C.P. Schulz 225 (1997) 299

-radiationless transitions

Multiple surface intersections and strong nonadiabatic coupling effects between the $\tilde{D}\,^2E_{1u}$ and $\tilde{E}\,^2B_{2u}$ states of $C_6H_6^+$, M. Döscher and H. Köppel 225 (1997) 93

Reactions (incl. dissociation)

Resonances in the photodissociation of CO_2: periodic-orbit and wavepacket analyses, I. Burghardt and P. Gaspard 225 (1997) 259

Ionization (incl. Rydberg states)

Calculation of total photoabsorption cross sections of Ar, Kr, N_2 and CO, N. Stein, C. Hättig and B.A. Hess 225 (1997) 309